



INSTA 800 standard

Guidance for the customer



Co-funded by the
Erasmus+ Programme
of the European Union

Content

What is the INSTA 800 standard?	3
INTRODUCTION - Quality assurance of cleaning.....	4
Quality assurance basics of cleaning services	4
Basic organization for contract management	4
Contract, agreement - Constituent documents, with and without INSTA 800.....	5
When working with INSTA 800	5
How INSTA 800 differs from the traditional procurement of cleaning services.....	6
The procurement process for cleaning services.....	6
1. List of buildings, rooms, and room types	6
2. Specification of the desired quality of cleaning.....	7
3. Frequencies	8
Quality control.....	8
Key success factors using INSTA 800 based contract.....	11

The material has been compiled as part of the project Cost Effective, Needed Base Cleaning – INSTA 800.

Published in 2022.



Project partners:

Estonia - Puhastusekspert OÜ (Helge Alt)

Finland - SSTL Puhtausala ry (Tarja Valkosalo, Sari Mattila)

Sweden - Borago Konsult AB (Thomas Andersson, Karl Henriksson)

Denmark - Glad Consulting A/S (Klara Marie Mikkelsen, Lonnie Eickworth)

Iceland- Solar ehf (Ingunn Agustsdottir)

Latvia - SOL Baltcs (Ieva Karklina, Kurmet Vasser)

What is the INSTA 800 standard?


The INSTA 800 standard provides a cleaning quality level measurement and quality control system. INSTA 800 is based on the EN 13549 standard. The standard was created by Nordic countries in the year 2000 in Denmark. The updated version of the standard was published in 2018. The standard has been translated into seven languages (English, Norwegian, Swedish, Estonian, Finnish, Icelandic, Latvian).

The INSTA 800 standard describes the application of the measurement system to determine the required quality level and to inspect the quality of the cleaning achieved.

INSTA 800 can be used in all types of buildings and areas, such as administrative buildings, hospitals, schools, nurseries, supermarkets, shops, production halls, trains, etc., regardless of cleaning methods, frequency, or system.

In practice, the INSTA 800 standard is also called “Cleaning by your eyes”, which is the main idea of INSTA 800. When using this standard, cleaners (cleanliness specialists), managers and customers must have the same understanding of the required results and the acceptable (set) quality level. The model is oriented towards the results of the cleaning services, not the cleaning process itself.

INSTA 800 – Need-based cleaning



Cleaning quality is good if the results of inspections are the same as the defined quality requirements.

INTRODUCTION - Quality assurance of cleaning


Quality assurance basics of cleaning services

When ensuring quality assurance of cleaning services, these areas are important to work proactively:

- Contract, agreements and cleaning descriptions, Including requirements specifications, service descriptions, (cleaning instructions), object lists, drawings.
- Organization, competence
Does the customer and the supplier have the right skills and the right organization to ensure that the contract is complied with? Do both parties have knowledge of what the contract entails?
- Resources
Does the supplier have sufficient and reasonable working hours to deliver contracted services? Does the customer have the resources to follow up on the agreement?
(Use the commons Key performance index produce cleaning times)
- Cleaning technology and logistics,
What cleaning equipment and what machines are required to clean professionally and sustainable. Adapted to different activities, schools, offices, hospitals, etcetera.
How is this ensured with the right logistics flows
- Operation, quality assurance and follow-up.

Basic organization for contract management

Ensure that there are people at all levels and at both clients and suppliers. Also ensure clear and known communication channels.



Contract, agreement - Constituent documents, with and without INSTA 800

This table shows which documents and supporting documents are needed in a cleaning contract. It also shows what is important when using INSTA 800 as the basis for the contract.

Traditional contract and procurement	Specific to the Insta 800
1. Procurement regulations	No differences
2. Contract, commercial terms	Refer to the INSTA 800 standard
3. Overall service requirements	Refer entirely to the INSTA 800 standard
4. Service description (Frequency)	Quality profiles, INSTA 800 Additional requirements
5. Description of properties and premises to be cleaned	List of quantities Architectural drawings Room listings
6. Other documents (E.g. tender and price forms)	Other documents (E.g. tender and price forms)

When working with INSTA 800

Contract - Client of INSTA 800

- In order for the INSTA 800 to work, the standard specifies what the agreement should cover.
- It is important that it fully complies with INSTA 800 so the agreement is easy to interpret.
- Remember to describe requirements that are not covered by INSTA 800.
- Additional requirements - Other services such as loading and emptying the dishwasher, emptying wastepaper bins, dealing with recyclable articles, and the like.

Contract management



- How does the start-up take place, do a calibrating quality inspection during the first month or before the start of the new contract.
- When are the quality measurements done (who is indicated in the contract).
- How and to whom the quality reports shall be reported.
- How is the result of the quality measurement used to coach the cleaning staff.


How INSTA 800 differs from the traditional procurement of cleaning services

INSTA 800 standard and the traditional procurement of cleaning services have some differences in the process and the quality control.

The procurement process for cleaning services

1. List of buildings, rooms, and room types

Traditionally	When using INSTA 800
<ul style="list-style-type: none"> List of buildings, rooms, and room types (floorplans) 	<p>List of buildings, rooms, and room types (floorplans) the division into inspection units.</p> <p>When the rooms are up to 100 m² the room is the inspection unit. In some cases, you have to specify those inspections unit.</p> <p>Example: Toilet with several units - You can divide the space to natural entities, e.g. this toilet to four inspection units</p>  <ul style="list-style-type: none"> The division into inspection units when the area is larger than 100 m²: Example: Sport center, 500 m² - According to standard you'll divide it to five inspection units, all around the same size (100 m²)  <ul style="list-style-type: none"> There is no upper limit of cleaning height according to the standard. But it is common that you specify this in the contract, for example cleaning height up to 3 or 4 meters.
<ul style="list-style-type: none"> List of surfaces, furniture and fixtures included in cleaning 	<ul style="list-style-type: none"> Ready-made object group categories adjustments can be specified Objects groups are <ul style="list-style-type: none"> - furniture and fixtures - floor

	<p>- walls - ceiling</p> <p style="text-align: center;">Table 2 - Object groups</p> <table border="1" style="width: 100%;"> <thead> <tr> <th style="width: 20%;">Object group</th> <th>Examples</th> </tr> </thead> <tbody> <tr> <td>Furniture & fixtures</td> <td>Tables, chairs, waste paper bins, lamps including pendant ceiling lamps, sanitary installations, white goods, lamella curtains, venetian blinds, radiators, blackboards and chalk grooves, movable partition walls, book cases, cupboards, pictures, loose mirrors and window sills</td> </tr> <tr> <td>Walls</td> <td>Wall surfaces, pipes on walls, doors (incl. kick plates), internal glass/interior glass walls, door frames, window frames, switches, ventilation grids, wall lamps, fillets, skirting boards, railings, hand rails, handles, panels and radiator cabinets</td> </tr> <tr> <td>Floors</td> <td>Floor surfaces, floor grates, convector pits, doorsteps and stairs, both vertical and horizontal surfaces</td> </tr> <tr> <td>Ceilings</td> <td>Ceiling finishes, light shafts and frames in ceiling windows, rafters, exterior part of ventilation ducts, pipes below ceilings, sloping beams, ceiling grates, ceiling hatches, lamps in or on the ceiling and the underside of internal stairs</td> </tr> </tbody> </table>  <ul style="list-style-type: none"> • A list can be developed on either the objects included in the cleaning of the object groups, or the objects not included. • Services connected to cleaning are not involved in INSTA 800 and shall be defined separately in the contract <ul style="list-style-type: none"> ○ e.g. emptying dust pins, replenishing lavatory articles, keeping toilet brushes clean <p>Benefits:</p> <ul style="list-style-type: none"> • Easy, fast • A lot of surfaces and fixtures already listed in object groups (maybe less overlooked, “forgotten” surfaces?) 	Object group	Examples	Furniture & fixtures	Tables, chairs, waste paper bins, lamps including pendant ceiling lamps, sanitary installations, white goods, lamella curtains, venetian blinds, radiators, blackboards and chalk grooves, movable partition walls, book cases, cupboards, pictures, loose mirrors and window sills	Walls	Wall surfaces, pipes on walls, doors (incl. kick plates), internal glass/interior glass walls, door frames, window frames, switches, ventilation grids, wall lamps, fillets, skirting boards, railings, hand rails, handles, panels and radiator cabinets	Floors	Floor surfaces, floor grates, convector pits, doorsteps and stairs, both vertical and horizontal surfaces	Ceilings	Ceiling finishes, light shafts and frames in ceiling windows, rafters, exterior part of ventilation ducts, pipes below ceilings, sloping beams, ceiling grates, ceiling hatches, lamps in or on the ceiling and the underside of internal stairs
Object group	Examples										
Furniture & fixtures	Tables, chairs, waste paper bins, lamps including pendant ceiling lamps, sanitary installations, white goods, lamella curtains, venetian blinds, radiators, blackboards and chalk grooves, movable partition walls, book cases, cupboards, pictures, loose mirrors and window sills										
Walls	Wall surfaces, pipes on walls, doors (incl. kick plates), internal glass/interior glass walls, door frames, window frames, switches, ventilation grids, wall lamps, fillets, skirting boards, railings, hand rails, handles, panels and radiator cabinets										
Floors	Floor surfaces, floor grates, convector pits, doorsteps and stairs, both vertical and horizontal surfaces										
Ceilings	Ceiling finishes, light shafts and frames in ceiling windows, rafters, exterior part of ventilation ducts, pipes below ceilings, sloping beams, ceiling grates, ceiling hatches, lamps in or on the ceiling and the underside of internal stairs										
<ul style="list-style-type: none"> • If a cleaning backlog exists, the quality requirements shall be achieved before or immediately after the beginning of the new contract period e.g. by thorough cleaning. 	<ul style="list-style-type: none"> • If a cleaning backlog exists, the quality profiles shall be achieved before or immediately after the beginning of the new contract period e.g. by thorough cleaning. 										

2. Specification of the desired quality of cleaning

Traditionally	When using INSTA 800
<ul style="list-style-type: none"> • Definitions what shall be cleaned in rooms and to what extent. 	<ul style="list-style-type: none"> • The desired quality is described by quality profiles • Quality profile consists of quality levels • Quality levels are based on countable amounts of soiling on accessible and not immediately accessible areas • Different quality levels can be set to every object group and to soiling groups 1 and 2 • Supplementary requirements can be set

Example, cleaning instruction

Room: Toilets

Cleaning method	Frequency
Emptying trash bins	5 times/week
Mopping the floor	5 times/week
Cleaning the toilet seat, sink, wall behind the sink, mirror	5 times/week
Wiping door handles and contact surfaces	5 times/week
Filling up paper and soap	5 times/week
Removing stains on walls	1 times/week
Dusting free surfaces, skirting boards and radiators	1 times/week

- Verbal definitions
 - How clean it should be after cleaning: e.g. neat, clean, or hygienic

Example:

Customer	Gentofte Commune				November 2020																
Group of rooms	File Depot Hallway basement Crib/lounge Cold room Oven room Technical room Stairs, secondary Wash	Library Wardrobe Group room, school Class, teaching Office Copy Laboratory Teachers room/- preparation Music room Conference room Liaison room Reception City Hall Conversation room	Wardrobe Kindergarten classes Elevator Gang primary Gym/hall Gardens Childrens wardrobe	Bathroom Cafe Toilet Foyer Puzzles Changing room Eating area small children Health care Kitchen	X-ray room Sterile room Dental clinics																
DESCRIPTION/PROFILE	K1		K2		K3		K4		K5												
QUALITY LEVEL	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	
FURNITURE & FIXTURES																					
Waste on loose dirt, dust and stains		X					X													X	
Surface soiling		X					X													X	
WALLS																					
Waste on loose dirt, dust and stains		X					X													X	
Surface soiling		X					X													X	
FLOORS																					
Waste on loose dirt, dust and stains		X					X													X	
Surface soiling		X					X													X	
CEILING																					
Waste on loose dirt, dust and stains		X					X													X	
Surface soiling		X					X													X	
Supplementary requirements																human biological material					human biological material

Benefits:

- Precise, more objective way to define the desired quality of cleaning
- Which will help to inspect quality

3. Frequencies

Traditionally	When using INSTA 800
<ul style="list-style-type: none"> Definitions by the buyer how often rooms and different surfaces etc. shall be cleaned <ul style="list-style-type: none"> Needs good know-how of cleaning ref. to "Cleaning instruction" above 	<ul style="list-style-type: none"> Definition of quality frequency by the buyer Service provider decides how often different surfaces/furniture need to be cleaned <p>Benefits</p> <ul style="list-style-type: none"> Possibility to avoid over- or under-cleaning Possibility to buy and get need-based, cost-effective cleaning result

Quality control

Traditionally	When using INSTA 800
<ul style="list-style-type: none"> Visual inspection Objective measurements <p>The system for both methods must be created</p> <ul style="list-style-type: none"> What does neat, clean, or hygienic cleaning result mean? 	<ul style="list-style-type: none"> Visual inspection Objective measurements <p>For both visual and objective measurements definitions how to</p> <ul style="list-style-type: none"> choose rooms for inspection (sampling plan)

- What does a little, fair, or some soiling mean?
- Limit values and number of tests for objective measurements need to be created (reliability of test results)

- how many rooms shall be inspected in each case
 - o statistically reliable number based on the size of the lot
- when the inspection is approved and when it is not
 - o statistically reliable result based on the size of inspected units


Table 4 – Sampling inspection. Single and double sampling plans for normal and additional inspection AQL = 4,0 %

Lot size	Single sampling plans			Double sampling plans							
	n	Ac	Re	First sample			Second sample			Kortymä	
				n ₁	Ac ₁	Re ₁	n ₂	Ac ₂	Re ₂	Ac ₂	Re ₂
1-15	5	1	2	3	0	2	3	6	1	2	¹⁾
16-25	8	1	2	5	0	2	5	10	1	2	²⁾
26-90	13	1	2	8	0	2	8	16	1	2	
91-150	20	2	3	13	0	3	13	26	3	4	
151-280	32	3	4	20	1	4	20	40	4	5	
281-500	50	5	6	32	2	5	32	64	6	7	
501-1200	80	7	8	50	3	7	50	100	8	9	
1201-3200	125	10	11	80	5	9	80	160	12	13	
3201-10000	200	14	15	125	7	11	125	250	18	19	
10001-35000	315	21	22	200	11	16	200	400	26	27	


NOTE ¹⁾ AQL = 10 %, ²⁾ AQL = 6,5 %.

- The person or persons performing the inspection
 - o INSTA 800 defines different knowledge levels, level 3 is recommended for performing inspections-> the same know-how for all inspectors
- The extent and frequency of the inspection
 - o The buyer can decide the extent
 - o The frequency is every three months according to standard
- Possibilities to define the lot (and affect workload and inspection costs), 3 examples:


1. All rooms in the contract are included



2. Rooms of a certain quality profile form the lot, or every quality profile form a different lot.



3. Only rooms in one floor form the lot



According to the standard, there are different ways to define the lot. It is good to read up and make clear statements before procurement.

Number 1 is a common method to use to define the lot. It is also possible to define the lot using each quality profile.

Something that is good to know when choosing method to define the lot is that there will be different amount of control units depending on the method you use. Common to the above examples 2 and 3 is that there will be fewer control units compared to example 1. Of course, this means that it takes less time to perform the quality inspection.

- Specification of method for selection of inspection units

It is an advantage to describe which method of selection to use already in the procurement documents.

- Actions to be taken in case a lot is evaluated as either approved or rejected

- o A system described in the standard

- When instrumental methods are used for assessment of dust on surfaces and/or gloss on floors; state which method that shall take precedence (visual or instrumental).

The extent of cleaning related service tasks and criteria for the measurement of the quality of these shall be agreed separately.

	<p>Benefits</p> <ul style="list-style-type: none"> - Easy to follow the ready-made system to get reliable test results - Continuous and regular quality inspections will maintain consistent quality - Fair quality assessment for both the buyer and the service provider
--	--

Key success factors using INSTA 800 based contract

- Competence (and commitment) of clients/managers, managers and cleaners.
- Cooperation between customer and supplier.
- Well-worked contract that follows the standard all the way (without its own rewrites).
- Managers who train and supervise their cleaning staff, use quality measurements for quality development.
- Perform all quarterly quality inspections, first can be informal and calibrating.
- Start-up work of contracts, demarcations, what is included, what is not included.
- Who will make the inspections/quality measurement.